10

15

30

WHAT IS CLAIMED IS:

- 1. An isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).
- 5 2. The isolated nucleic acid molecule of Claim 1 comprising the nucleotide sequence shown in any one of Figure 1 to 562, or the complement thereof.
 - 3. The isolated nucleic acid molecule of Claim 1 consisting essentially of a nucleotide sequence having at least about 80% nucleic acid sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).
 - 4. The isolated nucleic acid molecule of Claim 1 consisting essentially of the nucleotide sequence shown in any one of Figure 1 to 562, or the complement thereof.
 - 5. The isolated nucleic acid molecule of Claim 1 consisting of a nucleotide sequence having at least about 80% nucleic acid sequence identity to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).
- 6. The isolated nucleic acid molecule of Claim 1 consisting of the nucleotide sequence shown in any one of Figure 1 to 562, or the complement thereof.
 - 7. An isolated nucleic acid molecule which hybridizes to (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).
- 8. The isolated nucleic acid molecule of Claim 7 which hybridizes to the complement of the DNA molecule of any one of Figure 1 to 562.
 - 9. The isolated nucleic acid molecule of Claim 7, wherein said hybridization occurs under stringent hybridization conditions.
 - 10. An isolated nucleic acid molecule comprising at least about 10 consecutive

5

10

15

20

30

nucleotides contained within (a) the DNA molecule of any one of Figure 1 to 562, or (b) the complement of the DNA molecule of (a).

- 11. The isolated nucleic acid molecule of Claim 10 comprising at least about 10 consecutive nucleotides contained within the complement of the DNA molecule of any one of Figure 1 to 562.
- 12. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 1000 nucleotides in length.
- 13. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 500 nucleotides in length.
- 14. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 100 nucleotides in length.
- 15. The isolated nucleic acid molecule of Claim 10 which is from about 10 to about 50 nucleotides in length.
- 16. The isolated nucleic acid molecule of Claim 11 which is fully complementary to the DNA molecule of any one of Figure 1 to 562.
 - 17 The isolated nucleic acid molecule of Claim 10 which is detectably labeled.
- 18. A method of detecting the presence of a cDNA molecule which encodes a mammalian polypeptide in a mammalian cDNA library, said method comprising:

contacting said cDNA library with an oligonucleotide probe that hybridizes to the DNA molecule of any one of Figure 1 to 562, wherein said contacting is performed under conditions suitable for hybridization of said probe to a cDNA molecule in said library and wherein hybridization of said probe to a cDNA molecule in said library is indicative of the presence of cDNA molecule which encodes a mammalian polypeptide in said cDNA library.

152

(a) 10 margin | 13 mm

20

5

- 19. The method of Claim 18, wherein said hybridization is performed under stringent hybridization conditions.
- 20. The method of Claim 18, wherein said oligonucleotide probe comprises at least about 10 consecutive nucleotides contained within the complement of the DNA molecule of any one of Figure 1 to 562.
- 21. The method of Claim 18, wherein said mammalian polypeptide is a human polypeptide.
 - 22. A vector comprising the nucleic acid molecule of Claim 1.
- 23. The vector of Claim 22, wherein said nucleic acid molecule is operably linked to control sequences recognized by a host cell transformed with the vector.
 - 24. A host cell comprising the vector of Claim 22.
 - 25. The host cell of Claim 24, wherein said cell is a CHO cell.
 - 26. The host cell of Claim 24, wherein said cell is an *E. coli*.
 - 27. The host cell of Claim 24, wherein said cell is a yeast cell.
 - 28. An isolated SRT polypeptide encoded by the nucleic acid molecule of Claim 1.
- 25 29. An antibody which binds to the isolated SRT polypeptide of Claim 28.
 - 30. The antibody of Claim 29 which is a monoclonal antibody.
 - 31. The antibody of Claim 29 which is a humanized antibody.